

Safety Data Sheet

Copyright, 2017, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilising 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document group:
 10-3789-4
 Version number:
 12.01

 Revision date:
 24/02/2017
 Supersedes date:
 21/02/2017

Transportation version number: 1.00 (01/03/2011)

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

3M[™] Fluorinert[™] Electronic Liquid FC-72

REACH registration number: 01-2120115208-66-0000, 01-2120115208-66-0000

Product Identification Numbers

ZF-0002-0305-7 ZF-0002-1162-1

7000117249 7100026916

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

For industrial use only. Not intended for use as a medical device or drug.

Restrictions on Use

FluorinertTM Electronic Liquids are used in a wide variety of applications, including but not limited to precision cleaning of medical devices and as lubricant deposition solvents for medical devices. When the product is used for applications where the finished device is implanted into the human body, no residual Fluorinert solvent may remain on the parts. It is highly recommended that the supporting test results and protocol be cited during FDA registration.

3M Electronics Markets Materials Division (EMMD) will not knowingly sample, support, or sell its products for incorporation in medical and pharmaceutical products and applications in which the 3M product will be temporarily or permanently implanted into humans or animals. The customer is responsible for evaluating and determining that a 3M EMMD product is suitable and appropriate for its particular use and intended application. The conditions of evaluation, selection, and use of a 3M product can vary widely and affect the use and intended application of a 3M product. Because many of these conditions are uniquely within the user's knowledge and control, it is essential that the user evaluate and determine whether the 3M product is suitable and appropriate for a particular use and intended application, and complies with all local applicable laws, regulations, standards, and guidance.

1.3. Details of the supplier of the safety data sheet

Address: 3M United Kingdom PLC, 3M Centre, Cain Road, Bracknell, Berkshire, RG12 8HT.

 Telephone:
 +44 (0)1344 858 000

 E Mail:
 tox.uk@mmm.com

 Website:
 www.3M.com/uk

1.4. Emergency telephone number

+44 (0)1344 858 000

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture CLP REGULATION (EC) No 1272/2008

CLASSIFICATION:

This material is not classified as hazardous according to Regulation (EC) No. 1272/2008, as amended, on classification, labelling, and packaging of substances and mixtures.

2.2. Label elements

CLP REGULATION (EC) No 1272/2008

Not applicable

EU Fluorinated Gas Regulation (517/2014): This product contains fluorinated greenhouse gas(es):Reaction mass of 1,1,1,2,2,3,3,4,4,5,5,6,6,6-tetradecafluoro-hexane and 1,1,1,2,2,3,3,4,5,5,5-undecafluoro-4-(trifluoromethyl)pentane; GWP = 9,300; 1 kg x 9,300 = Weight in CO2 equivalent

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

Ingredient	CAS Nbr	EC No.	REACH	% by Wt	Classification
			Registration No.		
REACH: Reaction mass of	1064697-81-9			100	Substance not classified as
1,1,1,2,2,3,3,4,4,5,5,6,6,6-					hazardous
tetradecafluoro-hexane and					
1,1,1,2,2,3,3,4,5,5,5-undecafluoro-4-					
(trifluoromethyl)pentane					

Please see section 16 for the full text of any H statements referred to in this section

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Remove person to fresh air. If signs/symptoms develop, get medical attention.

Skin contact

Wash with soap and water. If signs/symptoms develop, get medical attention.

Eve contact

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

If swallowed

No need for first aid is anticipated.

4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1 Information on toxicological effects

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Non-combustible. Use a fire fighting agent suitable for surrounding fire.

5.2. Special hazards arising from the substance or mixture

Exposure to extreme heat can give rise to thermal decomposition.

Hazardous Decomposition or By-Products

Substance

Carbon monoxide.

Carbon dioxide.

Condition

During combustion.

During combustion.

5.3. Advice for fire-fighters

When fire fighting conditions are severe and total thermal decomposition of the product is possible, wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, tunic and trousers (leggings), bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Observe precautions from other sections.

6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dykes to prevent entry into sewer systems or bodies of water.

6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with an appropriate solvent selected by a qualified and authorised person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and Safety Data Sheet. Seal the container. Dispose of collected material as soon as possible.

6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid inhalation of thermal decomposition products. Avoid skin contact with hot material. Store work clothes separately from other clothing, food and tobacco products. Keep away from reactive metals (eg. Aluminium, zinc etc.) to avoid the formation of hydrogen gas that could create an explosion hazard. No smoking: Smoking while using this product can result in contamination of the tobacco and/or smoke and lead to the formation of hazardous decomposition products.

7.2. Conditions for safe storage including any incompatibilities

Store away from heat.

7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

No occupational exposure limit values exist for any of the components listed in Section 3 of this Safety Data Sheet.

Biological limit values

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

8.2. Exposure controls

8.2.1. Engineering controls

Provide appropriate local exhaust when product is heated.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

None required.

Skin/hand protection

No chemical protective gloves are required.

Respiratory protection

Use a positive pressure supplied-air respirator if there is a potential for over exposure from an uncontrolled release, exposure levels are not known, or under any other circumstances where air-purifying respirators may not provide adequate protection.

Thermal hazards

Wear heat insulating gloves when handling hot material to prevent thermal burns.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical stateLiquid.Specific Physical Form:Liquid.

Appearance/Odour Colourless, odourless liquid.

Odour thresholdNo data available.pHNot applicable.Boiling point/boiling range50 - 60 °CMelting pointNot applicable.Flammability (solid, gas)Not applicable.Explosive propertiesNot classifiedOxidising propertiesNot classified

3M™ Fluorinert™ Electronic Liquid FC-72

Flash point

Autoignition temperature

Flammable Limits(LEL)

Flammable Limits(UEL)

None detected

None detected

Vapour pressure30,930.7 Pa [@ 20 °C] **Relative density**1.7 [Ref Std: WATER=1]

Water solubility N

Solubility- non-waterNo data available.Partition coefficient: n-octanol/waterNo data available.Evaporation rate> 1 [Ref Std: BUOAC=1]

Vapour density approximately 11.7 [@ 20 °C] [Ref Std:AIR=1]

Decomposition temperatureNot applicable.

Viscosity $0.4 \text{ mm}^2/\text{sec} [@ 20 \text{ }^{\circ}\text{C}]$

Density 1.7 g/ml

9.2. Other information

EU Volatile Organic Compounds 1,700 g/l

Molecular weight No data available.

Percent volatile 100 %

SECTION 10: Stability and reactivity

10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid

Heat.

10.5 Incompatible materials

Finely divided active metals Alkali and alkaline earth metals.

10.6 Hazardous decomposition products

<u>Substance</u> <u>Condition</u>

Hydrogen Fluoride At elevated temperatures. - greater than 200 °C Perfluoroisobutylene (PFIB). At elevated temperatures. - greater than 200 °C greater than 200 °C

Refer to section 5.2 for hazardous decomposition products during combustion.

If the product is exposed to extreme conditions of heat from misuse or equipment failure, toxic decomposition products that include hydrogen fluoride and perfluoroisobutylene can occur.

SECTION 11: Toxicological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from

3M assessments.

11.1 Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

Vapours from heated material may cause irritation of the respiratory system: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, nose and throat pain.

Skin contact

Contact with the skin during product use is not expected to result in significant irritation.

Eve contact

Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion

No known health effects.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
REACH: Reaction mass of 1,1,1,2,2,3,3,4,4,5,5,6,6,6-	Dermal		LD50 estimated to be > 5,000 mg/kg
tetradecafluoro-hexane and 1,1,1,2,2,3,3,4,5,5,5-undecafluoro-4-			
(trifluoromethyl)pentane			
REACH: Reaction mass of 1,1,1,2,2,3,3,4,4,5,5,6,6,6-	Inhalation-	Rat	LC50 > 2,630 mg/l
tetradecafluoro-hexane and 1,1,1,2,2,3,3,4,5,5,5-undecafluoro-4-	Vapour (4		
(trifluoromethyl)pentane	hours)		
REACH: Reaction mass of 1,1,1,2,2,3,3,4,4,5,5,6,6,6-	Ingestion	Rat	LD50 > 5,000 mg/kg
tetradecafluoro-hexane and 1,1,1,2,2,3,3,4,5,5,5-undecafluoro-4-	_		
(trifluoromethyl)pentane			

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
REACH: Reaction mass of 1,1,1,2,2,3,3,4,4,5,5,6,6,6-tetradecafluoro-hexane and 1,1,1,2,2,3,3,4,5,5,5-undecafluoro-4-(trifluoromethyl)pentane	Rabbit	No significant irritation

Serious Eye Damage/Irritation

Name	Species	Value
REACH: Reaction mass of 1,1,1,2,2,3,3,4,4,5,5,6,6,6-tetradecafluoro-hexane and	Rabbit	No significant irritation
1,1,1,2,2,3,3,4,5,5,5-undecafluoro-4-(trifluoromethyl)pentane		

Skin Sensitisation

Name	Species	Value
REACH: Reaction mass of 1,1,1,2,2,3,3,4,4,5,5,6,6,6-tetradecafluoro-hexane and 1,1,1,2,2,3,3,4,5,5,5-undecafluoro-4-(trifluoromethyl)pentane	Mouse	Not sensitising

Respiratory Sensitisation

For the component/components, either no data is currently available or the data is not sufficient for classification.

Germ Cell Mutagenicity

Name	Route	Value
REACH: Reaction mass of 1,1,1,2,2,3,3,4,4,5,5,6,6,6-tetradecafluoro-hexane and	In Vitro	Not mutagenic
1,1,1,2,2,3,3,4,5,5,5-undecafluoro-4-(trifluoromethyl)pentane		

Carcinogenicity

For the component/components, either no data is currently available or the data is not sufficient for classification.

Reproductive Toxicity

Reproductive and/or Developmental Effects

For the component/components, either no data is currently available or the data is not sufficient for classification.

Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
REACH: Reaction mass of 1,1,1,2,2,3,3,4,4,5,5,6,6-tetradecafluoro-hexane and 1,1,1,2,2,3,3,4,5,5,5-undecafluoro-4-(trifluoromethyl)pentane	Inhalation	cardiac sensitisation	All data are negative	Dog	NOAEL 2,350 mg/l	10 minutes

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
REACH: Reaction mass of 1,1,1,2,2,3,3,4,4,5,5,6,6-tetradecafluoro-hexane and 1,1,1,2,2,3,3,4,5,5,5-undecafluoro-4-(trifluoromethyl)pentane	Inhalation	heart endocrine system bone, teeth, nails, and/or hair hematopoietic system liver immune system nervous system eyes kidney and/or bladder respiratory system	All data are negative	Rat	NOAEL 689 mg/l	13 weeks
REACH: Reaction mass of 1,1,1,2,2,3,3,4,4,5,5,6,6,6-tetradecafluoro-hexane and 1,1,1,2,2,3,3,4,5,5,5-undecafluoro-4-(trifluoromethyl)pentane	Ingestion	heart endocrine system hematopoietic system liver nervous system kidney and/or bladder respiratory system	All data are negative	Rat	NOAEL 2,000 mg/kg/day	32 days

Aspiration Hazard

For the component/components, either no data is currently available or the data is not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

12.1. Toxicity

No product test data available.

Material	CAS Nbr	Organism	Type	Exposure	Test endpoint	Test result
REACH:	1064697-81-9		Data not			
Reaction mass			available or			
of			insufficient for			
1,1,1,2,2,3,3,4,			classification			
4,5,5,6,6,6-						
tetradecafluoro-						
hexane and						
1,1,1,2,2,3,3,4,						
5,5,5-						
undecafluoro-						
4-						
(trifluoromethy						
1)pentane						

12.2. Persistence and degradability

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
REACH:	1064697-81-9	Data not	N/A	N/A	N/A	N/A
Reaction mass		available or				
of		insufficient for				
1,1,1,2,2,3,3,4,		classification				
4,5,5,6,6,6-						
tetradecafluoro-						
hexane and						
1,1,1,2,2,3,3,4,						
5,5,5-						
undecafluoro-						
4-						
(trifluoromethy						
1)pentane						

12.3: Bioaccumulative potential

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
REACH:	1064697-81-9	Data not	N/A	N/A	N/A	N/A
Reaction mass		available or				
of		insufficient for				
1,1,1,2,2,3,3,4,		classification				
4,5,5,6,6,6-						
tetradecafluoro-						
hexane and						
1,1,1,2,2,3,3,4,						
5,5,5-						
undecafluoro-						
4-						
(trifluoromethy						
1)pentane						

12.4. Mobility in soil

Please contact manufacturer for more details

12.5. Results of the PBT and vPvB assessment

No information available at this time, contact manufacturer for more details

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

See Section 11.1 Information on toxicological effects

Dispose of waste product in a permitted industrial waste facility. Combustion products will include HF. Facility must be capable of handling halogenated materials. Empty and clean product containers may be disposed as non-hazardous waste. Consult your specific regulations and service providers to determine available options and requirements.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of 3M, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/EC and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor.

EU waste code (product as sold)

070103* Organic halogenated solvents, washing liquids and mother liquors

14 06 02* Other halogenated solvents and solvent mixtures

SECTION 14: Transportation information

ZF-0002-0305-7, ZF-0002-1162-1

Not hazardous for transportation

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global inventory status

Contact 3M for more information. The components of this material are in compliance with the provisions of the Korea Chemical Control Act. Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Japan Chemical Substance Control Law. Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Philippines RA 6969 requirements. Certain restrictions may apply. Contact the selling division for additional information. The components of this product are in compliance with the new substance notification requirements of CEPA. The components of this product are in compliance with the chemical notification requirements of TSCA. This product complies with Measures on Environmental Management of New Chemical Substances. All ingredients are listed on or exempt from on China IECSC inventory.

15.2. Chemical Safety Assessment

Not applicable

SECTION 16: Other information

Revision information:

No revision information

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

3M United Kingdom MSDSs are available at www.3M.com/uk