

Safety Data Sheet

Copyright 2022, Acota Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilising Acota products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Acota, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document group:QD28-HFE 71 IPAVersion number:25.00Revision date:19/01/2022Supersedes date:04/11/2021

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Acota HFE 71IPA Engineered Fluid

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

For industrial use only. Not intended for use as a medical device or drug.

1.3. Details of the supplier of the safety data sheet

Address: Maesbury Industrial Estate, Maes Y Clawdd, Oswestry, UK SY10 8NN

Email: sales@acota.co.uk
Website: www.acota.co.uk

1.4. Emergency telephone number

+44 (0)1743 466200

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

CLP REGULATION (EC) No 1272/2008

CLASSIFICATION:

This material is not classified as hazardous according to Regulation (EC) No. 1272/2008, as amended, on classification, labelling, and packaging of substances and mixtures.

2.2. Label elements

CLP REGULATION (EC) No 1272/2008

Not applicable

SUPPLEMENTAL INFORMATION:

Supplemental Hazard Statements:

EUH018 In use, may form flammable/explosive vapour-air mixture.

EUH210 Safety data sheet available on request.

Page: 1 of 15



Supplemental Precautionary Statements:

Provide ventilation adequate to maintain vapor concentration below lower explosive concentration.

Notes on labelling

Updated per Regulation (EC) No. 648/2004 on detergents.

2.3. Other hazards

May cause thermal burns.

This material does not contain any substances that are assessed to be a PBT or vPvB

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Ingredient | Identifier(s) | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--|---|---------|---|
| Reaction Mass of 1,1,2,3,3,3-hexafluoro1-methoxy-2- (trifluoromethyl)propane and 1,1,2,2,3,3,4,4,4-nonafluoro- 1methoxybutane | (EC-No.) 422-270-2 (REACH-No.) 01- 0000016878-53 | 95 - 96 | Substance not classified as hazardous |
| propan-2-ol | (CAS-No.) 67-63-0 (EC-No.) 200-661-7 (REACH-No.) 01- 2119457558-25 | 4 - 5 | Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336 |

Please see section 16 for the full text of any H statements referred to in this section

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

Skin contact

Immediately flush skin with large amounts of cold water for at least 15 minutes. DO NOT ATTEMPT TO REMOVE MOLTEN MATERIAL. Cover affected area with a clean dressing. Get immediate medical attention.

Eye contact

Immediately flush eyes with large amounts of water for at least 15 minutes. DO NOT ATTEMPT TO REMOVE MOLTEN MATERIAL. Get immediate medical attention.

If swallowed

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

Page: 2 of 15



4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Use a fire fighting agent suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

No closed-cup flash point but flam/expl. vapor air mixture Material displays no closed-cup flash point but may form flammable/explosive vapor air mixture.

Hazardous Decomposition or By-Products

Substance

Carbon monoxide Carbon dioxide. Hydrogen Fluoride

Condition

During combustion. During combustion. During combustion.

5.3. Advice for fire-fighters

No special protective actions for fire-fighters are anticipated.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Keep away from sparks/flames/extreme heat Keep away from sparks, flames, and extreme heat. Evacuate area. Ventilate the area with fresh air. Observe precautions from other sections.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Eliminate ignition sources when cleaning spill Eliminate all potential ignition sources when cleaning up spill. Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with an appropriate solvent selected by a qualified and authorised person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and Safety Data Sheet. Seal the container. Dispose of collected material as soon as possible.

6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid skin contact with hot material. For industrial/occupational use only. Not for consumer sale or use. Store work clothes separately from other clothing, food and tobacco products. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.) Keep away from sparks/flames/extreme heat Keep away from sparks, flames, and extreme heat.

Page: 3 of 15



7.2. Conditions for safe storage including any incompatibilities

Store at temperatures not exceeding 38C/100F Store away from strong bases. Store away from oxidising agents.

7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

IngredientCAS NbrAgencyLimit typeAdditional commentspropan-2-ol67-63-0UK HSCTWA:999 mg/m³(400

ppm);STEL:1250 mg/m³(500 ppm)

UK HSC: UK Health and Safety Commission

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit CEIL: Ceiling **Biological limit**

values

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

Recommended monitoring procedures: Information on recommended monitoring procedures can be obtained from UK HSC

8.2. Exposure controls

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment. Provide ventilation adequate to maintain vapor concentration below lower explosive concentration.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Full face shield.

Indirect vented goggles.

Applicable Norms/Standards

Use eye/face protection conforming to EN 166

Skin/hand protection

Chemical protective gloves are not required under normal use conditions. However, when the product is subjected to extreme heat, HF may be formed. For those cases, neoprene gloves and apron are recommended.



Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours

For questions about suitability for a specific application, consult with your respirator manufacturer.

Applicable Norms/Standards

Use a respirator conforming to EN 140 or EN 136: filter type A

Thermal hazards

Wear heat insulating gloves Wear heat insulating gloves, indirect vented goggles, and a full face shield when handling hot material to prevent thermal burns.

Applicable Norms/Standards

Use gloves tested to EN 407

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid.

Specific Physical Form: Liquid.

Colour Colourless

Odour Slight Alcohol

Odour threshold No data available.

Melting point/freezing pointNot applicable.

Boiling point/boiling range 54 °C

Flammability (solid, gas) Not applicable.

Flammable Limits(LEL) 4 % [Details: Tested according to ASTM Method E681-94]

Flammable Limits(UEL) 16.7 % [Details:Tested according to ASTM Method E681-94]

Flash point No flash point [Details: Tested according to ASTM method

D56-87]

Autoignition temperature 443 °C [Details: ASTM E659 Method]

Decomposition temperature *Not applicable.*

pН

Kinematic Viscosity 6.75675675675676 mm²/sec

Water solubility Slight (less than 10%)

Solubility- non-water No data available.

Partition coefficient: n-octanol/waterNo data available.



Vapour pressure 27,597.7 Pa [@ 25 °C]

Density 1.48 g/ml

Relative density 1.48 [Ref Std:WATER=1]

Relative Vapor Density 7.1 [*Ref Std*:AIR=1]

9.2. Other information

9.2.2 Other safety characteristics

EU Volatile Organic Compounds 1,480 g/l

Evaporation rate 58 [*Ref Std*:BUOAC=1] **Molecular weight** *No data available.*

Percent volatile 100 %

SECTION 10: Stability and reactivity

10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid

Sparks and/or flames.

10.5 Incompatible materials

Strong bases.

Strong oxidising agents.

10.6 Hazardous decomposition products

<u>Substance</u> <u>Condition</u>

Carbon monoxide At elevated temperatures. - extreme conditions of heat

Carbon dioxide. At elevated temperatures. - extreme conditions of heat

Hydrogen Fluoride At elevated temperatures. - extreme conditions of heat

Perfluoroisobutylene (PFIB). At elevated temperatures. - extreme conditions of heat

Toxic vapour, gas, particulate. At elevated temperatures.

Refer to section 5.2 for hazardous decomposition products during combustion.

If the product is exposed to extreme conditions of heat from misuse or equipment failure, toxic decomposition products that include hydrogen fluoride and perfluoroisobutylene can occur.



SECTION 11: Toxicological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from internal hazard assessments.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Skin contact

Thermal burns: Signs/symptoms may include intense pain, redness and swelling, and tissue destruction.

Eve contact

Thermal burns: Signs/symptoms may include severe pain, redness and swelling, and tissue destruction.

Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

| Name | Route | Species | Value |
|---|-------------------------------|---------|--|
| Overall product | Ingestion | | No data available; calculated ATE >5,000 mg/kg |
| Reaction Mass of 1,1,2,3,3,3-hexafluoro-1-methoxy-2(trifluoromethyl)propane and 1,1,2,2,3,3,4,4,4-nonafluoro-1methoxybutane | Dermal | | LD50 estimated to be > 5,000 mg/kg |
| Reaction Mass of 1,1,2,3,3,3-hexafluoro-1-methoxy-2(trifluoromethyl)propane and 1,1,2,2,3,3,4,4,4-nonafluoro-1methoxybutane | InhalationVapour (4 hours) | Rat | LC50 > 1,000 mg/l |
| Reaction Mass of 1,1,2,3,3,3-hexafluoro-1-methoxy-2(trifluoromethyl)propane and 1,1,2,2,3,3,4,4,4-nonafluoro-1methoxybutane | Ingestion | Rat | LD50 > 5,000 mg/kg |
| propan-2-ol | Dermal | Rabbit | LD50 12,870 mg/kg |
| propan-2-ol | InhalationVapour (4 hours) | Rat | LC50 72.6 mg/l |
| propan-2-ol | Ingestion | Rat | LD50 4,710 mg/kg |

ATE = acute toxicity estimate

Skin Corrosion/Irritation

| JAM COTTOSION/ITTM/OT | | | | | | | |
|--|--------|---------------------------|--|--|--|--|--|
| Name | | Value | | | | | |
| Reaction Mass of 1,1,2,3,3,3-hexafluoro-1-methoxy-2-(trifluoromethyl)propane | Rabbit | No significant irritation | | | | | |
| and 1,1,2,2,3,3,4,4,4-nonafluoro-1-methoxybutane | | | | | | | |



| ſ | propan-2-ol | Multiple | No significant irritation |
|---|-------------|----------|---------------------------|
| | | animal | |
| | | species | |

Serious Eye Damage/Irritation

| Name | Species | Value |
|---|---------|---------------------------|
| Reaction Mass of 1,1,2,3,3,3-hexafluoro-1-methoxy-2-(trifluoromethyl)propane and 1,1,2,2,3,3,4,4,4-nonafluoro-1-methoxybutane | Rabbit | No significant irritation |
| propan-2-ol | Rabbit | Severe irritant |

Skin Sensitisation

| Name | | Value |
|--|--------|----------------|
| | | |
| Reaction Mass of 1,1,2,3,3,3-hexafluoro-1-methoxy-2-(trifluoromethyl)propane | Guinea | Not classified |
| and 1,1,2,2,3,3,4,4,4-nonafluoro-1-methoxybutane | pig | |
| propan-2-ol | Guinea | Not classified |
| | pig | |

Respiratory Sensitisation

For the component/components, either no data is currently available or the data is not sufficient for classification.

Germ Cell Mutagenicity

| Name | Route | Value |
|---|----------|---------------|
| | | |
| Reaction Mass of 1,1,2,3,3,3-hexafluoro-1-methoxy-2-(trifluoromethyl) propane and 1,1,2,2,3,3,4,4,4-nonafluoro-1-methoxybutane | In Vitro | Not mutagenic |
| Reaction Mass of 1,1,2,3,3,3-hexafluoro-1-methoxy-2-(trifluoromethyl)propane and 1,1,2,2,3,3,4,4,4-nonafluoro-1-methoxybutane | In vivo | Not mutagenic |
| propan-2-ol | In Vitro | Not mutagenic |
| propan-2-ol | In vivo | Not mutagenic |

Carcinogenicity

| Name | Route | Species | Value |
|-------------|------------|---------|--|
| propan-2-ol | Inhalation | Rat | Some positive data exist, but the data are not |
| | | | sufficient for classification |

Reproductive Toxicity

Reproductive and/or Developmental Effects

| Name | Route | Value | Species | Test result | Exposure Duration |
|--|------------|--|---------|------------------------|----------------------|
| Reaction Mass of 1,1,2,3,3,3-hexafluoro- 1methoxy-2-(trifluoromethyl)propane and 1,1,2,2,3,3,4,4,4-nonafluoro- 1methoxybutane | Inhalation | Not classified for female reproduction | Rat | NOAEL 129 mg/l | 1 generation |
| Reaction Mass of 1,1,2,3,3,3-hexafluoro- 1methoxy-2-(trifluoromethyl)propane and 1,1,2,2,3,3,4,4,4-nonafluoro- 1methoxybutane | Inhalation | Not classified for male reproduction | Rat | NOAEL 129 mg/l | 1 generation |
| Reaction Mass of 1,1,2,3,3,3-hexafluoro- 1methoxy-2-(trifluoromethyl)propane and 1,1,2,2,3,3,4,4,4-nonafluoro- 1methoxybutane | Inhalation | Not classified for development | Rat | NOAEL 307 mg/l | during gestation |
| propan-2-ol | Ingestion | Not classified for development | Rat | NOAEL 400 mg/kg/day | during organogenesis |
| propan-2-ol | Inhalation | Not classified for development | Rat | LOAEL 9 mg/l | during gestation |

Target Organ(s)

Page: 8 of 15



Specific Target Organ Toxicity - single exposure

| Name | Route | Target Organ(s) | Value | Species | Test result | Exposure Duration |
|---|------------|--------------------------------------|--|---------------|------------------------|---------------------------|
| Reaction Mass of 1,1,2,3,3,3-hexafluoro- 1methoxy-2- (trifluoromethyl)propane and 1,1,2,2,3,3,4,4,4nonafluoro- 1methoxybutane | Inhalation | nervous system | Not classified | Dog | LOAEL 913 mg/l | 10 minutes |
| Reaction Mass of 1,1,2,3,3,3-hexafluoro- 1methoxy-2- (trifluoromethyl)propane and 1,1,2,2,3,3,4,4,4nonafluoro- 1methoxybutane | Inhalation | cardiac sensitisation | Not classified | Dog | NOAEL 913 mg/l | 10 minutes |
| propan-2-ol | Inhalation | central nervous system depression | May cause drowsiness or dizziness | Human | NOAEL Not available | |
| propan-2-ol | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | Human | NOAEL Not available | |
| propan-2-ol | Inhalation | auditory system | Not classified | Guinea pig | NOAEL 13.4 mg/l | 24 hours |
| propan-2-ol | Ingestion | central nervous system depression | May cause drowsiness or dizziness | Human | NOAEL Not available | poisoning and/or abuse |

Specific Target Organ Toxicity - repeated exposure

| Name | Route | Target Organ(s) | Value | Species | Test result | Exposure Duration |
|---|------------|---|----------------|---------|-----------------------------|----------------------|
| Reaction Mass of 1,1,2,3,3,3-hexafluoro-1methoxy-2-(trifluoromethyl)propane and 1,1,2,2,3,3,4,4,4nonafluoro-1methoxybutane | Inhalation | liver | Not classified | Rat | NOAEL 155 mg/l | 13 weeks |
| Reaction Mass of 1,1,2,3,3,3-hexafluoro- 1methoxy-2- (trifluoromethyl)propane and 1,1,2,2,3,3,4,4,4nonafluoro- 1methoxybutane | Inhalation | bone, teeth, nails, and/or hair | Not classified | Rat | NOAEL 129 mg/l | 11 weeks |
| Reaction Mass of 1,1,2,3,3,3-hexafluoro-1methoxy-2- (trifluoromethyl)propane and 1,1,2,2,3,3,4,4,4nonafluoro-1methoxybutane | Inhalation | heart skin endocrine system gastrointestinal tract hematopoietic system immune system muscles nervous system eyes kidney and/or bladder respiratory system | Not classified | Rat | NOAEL 155 mg/l | 13 weeks |
| Reaction Mass of 1,1,2,3,3,3-hexafluoro-1methoxy-2- (trifluoromethyl)propane and 1,1,2,2,3,3,4,4,4nonafluoro-1methoxybutane | Ingestion | endocrine system liver heart hematopoietic system immune system nervous system eyes kidney and/or bladder respiratory system | Not classified | Rat | NOAEL 1,000 mg/kg/day | 28 days |
| propan-2-ol | Inhalation | kidney and/or bladder | Not classified | Rat | NOAEL 12.3 mg/l | 24 months |



| propan-2-ol | Inhalation | nervous system | Not classified | Rat | NOAEL 12 mg/l | 13 weeks |
|-------------|------------|--------------------------|----------------|-----|------------------------|----------|
| propan-2-ol | Ingestion | kidney and/or bladder | Not classified | Rat | NOAEL 400 mg/kg/day | 12 weeks |

Aspiration Hazard

For the component/components, either no data is currently available or the data is not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

11.2. Information on other hazards

This material does not contain any substances that are assessed to be an endocrine disruptor for human health.

SECTION 12: Ecological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from Acota assessments.

Page: 10 of 15

12.1. Toxicity

No product test data available.

| Material | CAS# | Organism | Type | Exposure | Test endpoint | Test result |
|---|-----------|----------------|-----------------------|----------|-----------------------------------|--------------|
| Reaction Mass of 1,1,2,3,3,3-hexafluoro- 1-methoxy-2- (trifluoromethyl)propan e and 1,1,2,2,3,3,4,4,4nonafluoro- 1methoxybutane | 422-270-2 | Green Algae | Analogous Compound | 72 hours | No tox obs at lmt of water sol | >100 mg/l |
| Reaction Mass of 1,1,2,3,3,3-hexafluoro-1-methoxy-2- (trifluoromethyl)propan e and 1,1,2,2,3,3,4,4,4nonafluoro-1methoxybutane | 422-270-2 | Water flea | Analogous Compound | 48 hours | No tox obs at lmt of water sol | >100 mg/1 |
| Reaction Mass of 1,1,2,3,3,3-hexafluoro- 1-methoxy-2- (trifluoromethyl)propan e and 1,1,2,2,3,3,4,4,4nonafluoro- 1methoxybutane | 422-270-2 | Fathead minnow | Endpoint not reached | 96 hours | LC50 | >100 mg/l |
| Reaction Mass of 1,1,2,3,3,3-hexafluoro- 1-methoxy-2- (trifluoromethyl)propan e and 1,1,2,2,3,3,4,4,4nonafluoro- 1methoxybutane | 422-270-2 | Fathead minnow | Endpoint not reached | 96 hours | No tox obs at lmt of water sol | >100 mg/l |
| Reaction Mass of 1,1,2,3,3,3-hexafluoro- 1-methoxy-2- (trifluoromethyl)propan e and 1,1,2,2,3,3,4,4,4nonafluoro- 1methoxybutane | 422-270-2 | Green algae | Experimental | 72 hours | EC50 | >100 mg/l |
| Reaction Mass of 1,1,2,3,3,3-hexafluoro- 1-methoxy-2- (trifluoromethyl)propan e and 1,1,2,2,3,3,4,4,4nonafluoro- 1methoxybutane | 422-270-2 | Water flea | Experimental | 48 hours | EC50 | >100 mg/l |
| Reaction Mass of 1,1,2,3,3,3-hexafluoro1-methoxy-2-(trifluoromethyl)propan e and 1,1,2,2,3,3,4,4,4nonafluoro-lmethoxybutane | 422-270-2 | Green Algae | Analogous Compound | 72 hours | No tox obs at lmt of water sol | >100 mg/l |
| Reaction Mass of 1,1,2,3,3,3-hexafluoro1- methoxy-2- (trifluoromethyl)propan e and 1,1,2,2,3,3,4,4,4nonafluoro- lmethoxybutane | 422-270-2 | Green algae | Experimental | 72 hours | NOEC | 100 mg/l |
| propan-2-ol | 67-63-0 | Bacteria | Experimental | 16 hours | LOEC | 1,050 mg/l |
| propan-2-ol | 67-63-0 | Crustacea | Experimental | 24 hours | LC50 | >10,000 mg/l |

| propan-2-ol | 67-63-0 | Green Algae | Experimental | 72 hours | EC50 | >1,000 mg/l |
|-------------|---------|-------------|--------------|----------|------|-------------|
| propan-2-ol | 67-63-0 | Medaka | Experimental | 96 hours | LC50 | >100 mg/l |
| propan-2-ol | 67-63-0 | Water flea | Experimental | 48 hours | EC50 | >1,000 mg/l |
| propan-2-ol | 67-63-0 | Green algae | Experimental | 72 hours | NOEC | 1,000 mg/l |
| propan-2-ol | 67-63-0 | Water flea | Experimental | 21 days | NOEC | 100 mg/l |

12.2. Persistence and degradability

| Material | CAS Nbr | Test type | Duration | Study Type | Test result | Protocol |
|---|-----------|---|----------|----------------------------------|-------------------|--------------------------------|
| Reaction Mass of 1,1,2,3,3,3-hexafluoro- Imethoxy-2- (trifluoromethyl)propane and 1,1,2,2,3,3,4,4,4nonafluoro- Imethoxybutane | 422-270-2 | Experimental Photolysis | | Photolytic half-life (in air) | 2.9 years (t 1/2) | Non-standard method |
| Reaction Mass of 1,1,2,3,3,3-hexafluoro- 1methoxy-2- (trifluoromethyl)propane and 1,1,2,2,3,3,4,4,4nonafluoro- 1methoxybutane | 422-270-2 | Experimental Biodegradation | 28 days | BOD | 22 % BOD/ThBOD | OECD 301D - Closed bottle test |
| Reaction Mass of 1,1,2,3,3,3-hexafluoro- 1methoxy-2- (trifluoromethyl)propane and 1,1,2,2,3,3,4,4,4nonafluoro- 1methoxybutane | 422-270-2 | Analogous Compound Biodegradation | 28 days | BOD | 22 % BOD/ThBOD | OECD 301D - Closed bottle test |
| propan-2-ol | 67-63-0 | Experimental Biodegradation | 14 days | BOD | 86 % BOD/ThBOD | OECD 301C - MITI test (I) |

12.3 : Bioaccumulative potential

| Material | Cas No. | Test type | Duration | Study Type | Test result | Protocol |
|---|-----------|---|----------|------------|-------------|---------------------|
| Reaction Mass of 1,1,2,3,3,3-hexafluoro- 1methoxy-2- (trifluoromethyl)propane and 1,1,2,2,3,3,4,4,4nonafluoro- 1methoxybutane | 422-270-2 | Experimental Bioconcentration | | Log Kow | 4.0 | Non-standard method |
| Reaction Mass of 1,1,2,3,3,3-hexafluoro- 1methoxy-2- (trifluoromethyl)propane and 1,1,2,2,3,3,4,4,4nonafluoro- 1methoxybutane | 422-270-2 | Analogous Compound Bioconcentration | | Log Kow | 4.0 | |
| propan-2-ol | 67-63-0 | Experimental Bioconcentration | | Log Kow | 0.05 | Non-standard method |

12.4. Mobility in soil

No test data available.

12.5. Results of the PBT and vPvB assessment

This material does not contain any substances that are assessed to be a PBT or vPvB

12.6. Endocrine disrupting properties

This material does not contain any substances that are assessed to be an endocrine disruptor for environmental effects

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Prior to disposal, consult all applicable authorities and regulations to insure proper classification. Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Combustion products will include HF. Facility must be capable of handling halogenated materials. Empty and clean product containers may be disposed as nonhazardous waste. Consult your specific regulations and service providers to determine available options and requirements.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of Acota, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/EC and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor.

EU waste code (product as sold)

070103* Organic halogenated solvents, washing liquids and mother liquors

SECTION 14: Transportation information

Not hazardous for transportation.

| | Ground Transport (ADR) | Air Transport (IATA) | Marine Transport (IMDG) |
|-----------------------------------|--|--|--|
| 14.1 UN number | No data available. | No data available. | No data available. |
| 14.2 UN proper shipping name | No data available. | No data available. | No data available. |
| 14.3 Transport hazard class(es) | No data available. | No data available. | No data available. |
| 14.4 Packing group | No data available. | No data available. | No data available. |
| 14.5 Environmental hazards | No data available. | No data available. | No data available. |
| 14.6 Special precautions for user | Please refer to the other sections of the SDS for further information. | Please refer to the other sections of the SDS for further information. | Please refer to the other sections of the SDS for further information. |

Page: 13 of 15

| 14.7 Transport in bulk according to Annex II of Marpol 73/78 and IBC Code | No data available. | No data available. | No data available. |
|---|--------------------|--------------------|--------------------|
| Control Temperature | No data available. | No data available. | No data available. |
| Emergency Temperature | No data available. | No data available. | No data available. |
| ADR Classification Code | No data available. | No data available. | No data available. |
| IMDG Segregation Code | No data available. | No data available. | No data available. |

Please contact the address or phone number listed on the first page of the SDS for additional information on the transport/shipment of the material by rail (RID) or inland waterways (ADN).

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global inventory status

Contact Acota for more information. The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Japan Chemical Substance Control Law. Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Philippines RA 6969 requirements. Certain restrictions may apply. Contact the selling division for additional information. The components of this product are in compliance with the new substance notification requirements of CEPA. The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

DIRECTIVE 2012/18/EU

Seveso hazard categories, Annex 1, Part 1 None

Seveso named dangerous substances, Annex 1, Part 2

| Dangerous Substances | Identifier(s) | Qualifying quantity (tonnes) for the application of | | |
|----------------------|---------------|---|-------------------------|--|
| | Lower-tie | | Upper-tier requirements | |
| propan-2-ol | 67-63-0 | 10 | 50 | |

15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out for this mixture. Chemical safety assessments for the contained substances may have been carried out by the registrants of the substances in accordance with Regulation (EC) No 1907/2006, as amended.

Page: 14 of 15

SECTION 16: Other information

List of relevant H statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.H336 May cause drowsiness or dizziness.

Revision information:

Section 1: Product identification numbers information was modified.

Section 01: SAP Material Numbers information was modified.

Section 8: Personal Protection - Thermal hazards information information was modified.

Section 11: Target Organs - Repeated Table information was added.

Section 11: Target Organs - Repeated Table information was deleted.

Section 14 Multiplier – Main Heading information was deleted.

Section 14 Multiplier – Regulation Data information was deleted.

Section 14 Transport Category – Main Heading information was deleted.

Section 14 Transport Category – Regulation Data information was deleted.

Section 14 Tunnel Code – Main Heading information was deleted.

Section 14 Tunnel Code – Regulation Data information was deleted.

Section 2: No PBT/vPvB information available warning information was added.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer of record of this product into the European Union, you are responsible for all regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration.

Page: 15 of 15