



## Safety Data Sheet

### Esseco Aqueous Cleaner MPC

Safety Data Sheet dated 30/12/2016, version 6

---

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Trade name: Esseco Aqueous Cleaner MPC

Trade code: SDS 5MPC

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

CLEANING/WASHING AGENT

1.3. Details of the supplier of the safety data sheet

Company:

Esseco UK Limited

Calder Vale Road

Wakefield

West Yorkshire, WF1 5PH

UK

Esseco UK Limited - Phone n. +44 (0) 1924 371 919

Competent person responsible for the safety data sheet:

sds@essecouk.com

1.4. Emergency telephone number

Esseco UK Limited - Phone n. +44 (0) 1924 371 919

---

#### SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Hazard pictograms:

None

Hazard statements:

None

Precautionary statements:

None

Special Provisions:

None

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

vPvB Substances: None - PBT Substances: None

Other Hazards:



## Safety Data Sheet

### Esseco Aqueous Cleaner MPC

No other hazards

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1. Substances

N.A.

#### 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number	Classification
>= 5% - < 7%	Sodium Carbonate	Index number: 011-005-00-2 CAS: 497-19-8 EC: 207-838-8	3.3/2 Eye Irrit. 2 H319
>= 3% - < 5%	C9-11 alkyl alcohol, ethoxylate	CAS: 68439-46-3	3.1/4/Oral Acute Tox. 4 H302 3.3/1 Eye Dam. 1 H318
>= 1% - < 3%	Fatty alcohol alkoxylate, polymer		3.2/2 Skin Irrit. 2 H315 3.3/1 Eye Dam. 1 H318
>= 1% - < 3%	Alcohol ethoxylate	CAS: 34398-01-1	3.1/4/Oral Acute Tox. 4 H302 3.3/1 Eye Dam. 1 H318
>= 1% - < 3%	N-Octyl-2-Pyrrolidone	CAS: 2687-94-7 EC: 403-700-8	3.2/1B Skin Corr. 1B H314 4.1/C2 Aquatic Chronic 2 H411
>= 1% - < 3%	Sodium Silicate	CAS: 1344-09-8 EC: 215-687-4	3.2/2 Skin Irrit. 2 H315 3.3/1 Eye Dam. 1 H318
>= 1% - < 3%	C9-11 Fatty alcohol ethoxylate	CAS: 160901-09-7	3.3/1 Eye Dam. 1 H318

vPvB Substances: None - PBT Substances: None

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

If breathing is irregular or stopped, administer artificial respiration.

In case of inhalation, consult a doctor immediately and show him packing or label.

#### 4.2. Most important symptoms and effects, both acute and delayed



## Safety Data Sheet

### Esseco Aqueous Cleaner MPC

None

4.3. Indication of any immediate medical attention and special treatment needed

Treatment:

None

---

#### SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO<sub>2</sub>).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

---

#### SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

---

#### SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Store below 30 °C

Keep away from food, drink and feed.

Incompatible materials:



## Safety Data Sheet

### Esseco Aqueous Cleaner MPC

Instructions as regards storage premises:  
Adequately ventilated premises.

7.3. Specific end use(s)  
None in particular

---

#### SECTION 8: Exposure controls/personal protection

8.1. Control parameters  
No occupational exposure limit available  
DNEL Exposure Limit Values  
N.A.  
PNEC Exposure Limit Values  
N.A.

8.2. Exposure controls  
Eye protection:  
Use close fitting safety goggles, don't use eye lens.  
Not needed for normal use. Operate according to good working practices.

Protection for skin:  
Protection for hands:  
Not needed for normal use.

Respiratory protection:  
Not needed for normal use.

Thermal Hazards:  
None

Environmental exposure controls:  
None

Appropriate engineering controls:  
None

---

#### SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Appearance and colour:	Liquid	--	--
Odour:	Characteristic	--	--
Odour threshold:	N.A.	--	--
pH:	12	--	--
Melting point / freezing point:	-10 to 0 °C	--	--
Initial boiling point and boiling range:	100 - 110 °C	--	--
Flash point:	N.A.	--	--
Evaporation rate:	N.A.	--	--
Solid/gas flammability:	N.A.	--	--
Upper/lower flammability or explosive limits:	N.A.	--	--
Vapour pressure:	N.A.	--	--
Vapour density:	N.A.	--	--
Relative density:	1.10 @ 25 °C	--	--



## Safety Data Sheet

### Esseco Aqueous Cleaner MPC

Solubility in water:	Completely	--	--
Solubility in oil:	N.A.	--	--
Partition coefficient (n-octanol/water):	N.A.	--	--
Auto-ignition temperature:	N.A.	--	--
Decomposition temperature:	N.A.	--	--
Viscosity:	N.A.	--	--
Explosive properties:	N.A.	--	--
Oxidizing properties:	N.A.	--	--

#### 9.2. Other information

Properties	Value	Method:	Notes:
Miscibility:	N.A.	--	--
Fat Solubility:	N.A.	--	--
Conductivity:	N.A.	--	--
Substance Groups relevant properties	N.A.	--	--

---

## SECTION 10: Stability and reactivity

- 10.1. Reactivity
  - Stable under normal conditions
- 10.2. Chemical stability
  - Stable under normal conditions
- 10.3. Possibility of hazardous reactions
  - No
- 10.4. Conditions to avoid
  - Stable under normal conditions.
- 10.5. Incompatible materials
  - Acids
- 10.6. Hazardous decomposition products
  - Toxic gas.

---

## SECTION 11: Toxicological information

- 11.1. Information on toxicological effects
  - Toxicological information of the product:
    - Esseco Aqueous Cleaner MPC
  - a) acute toxicity
    - Not classified
    - Based on available data, the classification criteria are not met
  - b) skin corrosion/irritation
    - Not classified
    - Based on available data, the classification criteria are not met
  - c) serious eye damage/irritation
    - Not classified
    - Based on available data, the classification criteria are not met
  - d) respiratory or skin sensitisation



## Safety Data Sheet

### Esseco Aqueous Cleaner MPC

- Not classified  
Based on available data, the classification criteria are not met
  - e) germ cell mutagenicity  
Not classified  
Based on available data, the classification criteria are not met
  - f) carcinogenicity  
Not classified  
Based on available data, the classification criteria are not met
  - g) reproductive toxicity  
Not classified  
Based on available data, the classification criteria are not met
  - h) STOT-single exposure  
Not classified  
Based on available data, the classification criteria are not met
  - i) STOT-repeated exposure  
Not classified  
Based on available data, the classification criteria are not met
  - j) aspiration hazard  
Not classified  
Based on available data, the classification criteria are not met
- Toxicological information of the main substances found in the product:  
N.A.

---

#### SECTION 12: Ecological information

- 12.1. Toxicity  
Adopt good working practices, so that the product is not released into the environment.  
Esseco Aqueous Cleaner MPC  
Not classified for environmental hazards  
Based on available data, the classification criteria are not met
- 12.2. Persistence and degradability  
None  
Esseco Aqueous Cleaner MPC  
Biodegradability: Not persistent and Biodegradable - Test: N.A. - Duration: N.A. - %:  
N.A. - Notes: N.A.
- 12.3. Bioaccumulative potential  
N.A.
- 12.4. Mobility in soil  
Esseco Aqueous Cleaner MPC  
Mobility in soil: Mobile - Test: N.A. N.A. - Duration: N.A. - Notes: N.A.
- 12.5. Results of PBT and vPvB assessment  
vPvB Substances: None - PBT Substances: None
- 12.6. Other adverse effects  
None

---

#### SECTION 13: Disposal considerations

- 13.1. Waste treatment methods  
Recover if possible. In so doing, comply with the local and national regulations currently in force.



## Safety Data Sheet

### Esseco Aqueous Cleaner MPC

---

#### SECTION 14: Transport information

- 14.1. UN number  
Not classified as dangerous in the meaning of transport regulations.
- 14.2. UN proper shipping name  
N.A.
- 14.3. Transport hazard class(es)  
N.A.
- 14.4. Packing group  
N.A.
- 14.5. Environmental hazards  
N.A.
- 14.6. Special precautions for user  
N.A.
- 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code  
N.A.

---

#### SECTION 15: Regulatory information

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
  - Dir. 98/24/EC (Risks related to chemical agents at work)
  - Dir. 2000/39/EC (Occupational exposure limit values)
  - Regulation (EC) n. 1907/2006 (REACH)
  - Regulation (EC) n. 1272/2008 (CLP)
  - Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013
  - Regulation (EU) 2015/830
  - Regulation (EU) n. 286/2011 (ATP 2 CLP)
  - Regulation (EU) n. 618/2012 (ATP 3 CLP)
  - Regulation (EU) n. 487/2013 (ATP 4 CLP)
  - Regulation (EU) n. 944/2013 (ATP 5 CLP)
  - Regulation (EU) n. 605/2014 (ATP 6 CLP)
  - Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Where applicable, refer to the following regulatory provisions :

- Directive 2012/18/EU (Seveso III)
- Regulation (EC) nr 648/2004 (detergents).
- Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

N.A.

- 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

---

#### SECTION 16: Other information

Full text of phrases referred to in Section 3:

- H319 Causes serious eye irritation.
- H302 Harmful if swallowed.
- H318 Causes serious eye damage.
- H315 Causes skin irritation.
- H314 Causes severe skin burns and eye damage.



## Safety Data Sheet

### Esseco Aqueous Cleaner MPC

H411 Toxic to aquatic life with long lasting effects.

Hazard class and hazard category	Code	Description
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Corr. 1B	3.2/1B	Skin corrosion, Category 1B
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Aquatic Chronic 2	4.1/C2	Chronic (long term) aquatic hazard, category 2

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre,  
Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van  
Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date.

It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.





## Safety Data Sheet

### Esseco Aqueous Cleaner MPC

STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.