

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Name : PROMOCLEAN TP 1112
Product code : 050320700
Type of product : Detergent

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Disposal of polishing pastes in jewellery

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

INVENTEC PERFORMANCE CHEMICALS SA
20 rue de Bourgogne
P.O. Box CS 10165
69800 SAINT-PRIEST - France
T +33 (0) 4 72 28 13 00 - F +33 (0) 4 72 28 13 41
ContactFDS@inventec.dehon.com

Other

FRIGOGAZ Climalife kft Hungary
Villányi út 47
1118 Budaörs - Hungary
T (36) 23 431 660 - F (36) 23 431 661
ContactFDS@inventec.dehon.com

Other

INVENTEC PERFORMANCE CHEMICALS ITALIA S.R.L.
Via Pusterla, 8
20013 Magenta - Milano - Italia
T (39) 02 48 40 12 06 - F (39) 02 48 46 13 41
ContactFDS@inventec.dehon.com

Other

INVENTEC PERFORMANCE CHEMICALS Switzerland
Z.I. Petits Champs 15 Yverdon Sud
CH-1400 Yverdon-les-Bains - Switzerland
T 41(0) 24 424 80 90 - F 41(0) 24 424 80 99
ContactFDS@inventec.dehon.com

Other

DKF GERMANY / INVENTEC
Robert - Bosch - Strasse 14
40668 Meerbusch - Germany
T +49 (0)21 50 70 73 00 - F + 49 (0)21 50 70 73 17
ContactFDS@inventec.dehon.com

Other

INVENTEC PERFORMANCE CHEMICALS ESPAÑA
Perez Pujol, 4 - 2º
46002 Valencia - Spain
T (34) 96 353 51 93 - F (34) 96 353 51 92
ContactFDS@inventec.dehon.com

Other

INVENTEC Performance Chemicals Netherlands BV
Van Konijnenburgweg 84
4612 PL Bergen op zoom - Netherlands
T (31) 164 212 840 - F (31) 164 212 841
ContactFDS@inventec.dehon.com

1.4. Emergency telephone number

Emergency number : +33 (0) 1 72 11 00 03

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Eye Dam. 1 H318
Skin Sens. 1 H317

Full text of hazard classes and H-statements : see section 16

Adverse physicochemical, human health and environmental effects

May cause an allergic skin reaction. Causes serious eye damage.

PROMOCLEAN TP 1112

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS05

GHS07

Signal word (CLP)

: Danger

Hazardous ingredients

: Alcohol hydroxylated C9-C11; N-(2-hydroxyethyl)-N-[2-[(1-oxooctyl)amino]ethyl]-β-alanine

Hazard statements (CLP)

: H317 - May cause an allergic skin reaction.
H318 - Causes serious eye damage.

Precautionary statements (CLP)

: P261 - Avoid breathing spray, mist, fume, gas, dust, vapours.
P280 - Wear protective gloves, protective clothing, eye protection, face protection.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P302+P352 - IF ON SKIN: Wash with plenty of soap and water.
P310 - Immediately call a POISON CENTER, a doctor.
P363 - Wash contaminated clothing before reuse.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Alcohol hydroxylated C9-C11	(CAS-No.) 68439-46-3	25 - 50	Eye Dam. 1, H318 Acute Tox. 4 (Oral), H302
N-(2-hydroxyethyl)-N-[2-[(1-oxooctyl)amino]ethyl]-β-alanine		10 - 20	Eye Irrit. 2, H319 Skin Sens. 1B, H317
ethanol; ethyl alcohol	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5 (REACH-no) 01-2119457610-43	1 - 5	Flam. Liq. 2, H225 Eye Irrit. 2, H319

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical advice.
First-aid measures after skin contact	: Remove all contaminated clothing and footwear. Gently wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse immediately and thoroughly, pulling the eyelids well away from the eye (15 minutes minimum). Remove contact lenses, if present and easy to do. Continue rinsing. Consult an eye specialist immediately, even if there are no immediate symptoms.
First-aid measures after ingestion	: Do not give anything to drink. Do not induce vomiting. Get immediate medical advice/attention. If possible show him this sheet. Failing this, show him the packaging or label.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	: May cause an allergic skin reaction. Rednesses.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: Nausea.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Strong water jet.

PROMOCLEAN TP 1112

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid contact with skin and eyes.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate the danger area. Evacuate area.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment.

6.2. Environmental precautions

Avoid release to the environment. Contain the spilled material by bunding.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up with inert absorbent material (for example sand, sawdust, a universal binder, silica gel). Dispose of contaminated materials in accordance with current regulations.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of solid materials or residues refer to section 13 : "Disposal considerations".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. protected from frost.

Incompatible materials : Strong acids. Strong oxidizing agents.

Packaging materials : Recommended materials: Plastic materials.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

ethanol; ethyl alcohol (64-17-5)		
Austria	Local name	Ethanol
Austria	MAK (mg/m³)	1900 mg/m³
Austria	MAK (ppm)	1000 ppm
Austria	MAK Short time value (mg/m³)	3800 mg/m³
Austria	MAK Short time value (ppm)	2000 ppm
Austria	Regulatory reference	BGBl. II Nr. 186/2015
Belgium	Local name	Alcool éthylique # Ethanol
Belgium	Limit value (mg/m³)	1907 mg/m³
Belgium	Limit value (ppm)	1000 ppm
Belgium	Regulatory reference	Koninklijk besluit/Arrêté royal 11/03/2002
Bulgaria	Local name	Етилов алкохол
Bulgaria	OEL TWA (mg/m³)	1000 mg/m³
Bulgaria	Regulatory reference	Наредба № 13 от 30.12.2003 г. за защита на работещите от рискове, свързани с експозиция на химични агенти при работа
Croatia	Local name	Etanol; (Etil-alkohol)

PROMOCLEAN TP 1112

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ethanol; ethyl alcohol (64-17-5)		
Croatia	GVI (granična vrijednost izloženosti) (mg/m³)	1900 mg/m³
Croatia	GVI (granična vrijednost izloženosti) (ppm)	1000 ppm
Croatia	Naznake (HR)	F (lako zapaljivo)
Croatia	Regulatory reference	Pravilnik o izmjenama i dopunama Pravilnika o graničnim vrijednostima izloženosti opasnim tvarima pri radu i o biološkim graničnim vrijednostima (NN, br. 75/13)
Czech Republic	Local name	Ethanol (Ethylalkohol)
Czech Republic	Expoziční limity (PEL) (mg/m³)	1000 mg/m³
Czech Republic	Expoziční limity (PEL) (ppm)	530 ppm
Czech Republic	Expoziční limity (NPK-P) (mg/m³)	3000 mg/m³
Czech Republic	Expoziční limity (NPK-P) (ppm)	1600 ppm
Czech Republic	Regulatory reference	Nařízení vlády č. 361/2007 Sb. (zpracovány změny č. 93/2012 Sb., 9/2013 Sb.)
Denmark	Local name	Ethanol (Ethylalkohol)
Denmark	Grænseværdie (langvarig) (mg/m³)	1900 mg/m³
Denmark	Grænseværdie (langvarig) (ppm)	1000 ppm
Denmark	Regulatory reference	BEK nr 986 af 11/10/2012
Estonia	Local name	Etanool (etüülalkohol)
Estonia	OEL TWA (mg/m³)	1000 mg/m³
Estonia	OEL TWA (ppm)	500 ppm
Estonia	OEL STEL (mg/m³)	1900 mg/m³
Estonia	OEL STEL (ppm)	1000 ppm
Estonia	Regulatory reference	Vabariigi Valitsuse 18. septembri 2001. a määruse nr 293
Finland	Local name	Etanoli
Finland	HTP-arvo (8h) (mg/m³)	1900 mg/m³
Finland	HTP-arvo (8h) (ppm)	1000 ppm
Finland	HTP-arvo (15 min)	2500 mg/m³
Finland	HTP-arvo (15 min) (ppm)	1300 ppm
Finland	Regulatory reference	HTP-ARVOT 2016 (Sosiaali- ja terveystieteiden ministeriö)
France	Local name	Alcool éthylique
France	VME (mg/m³)	1900 mg/m³
France	VME (ppm)	1000 ppm
France	VLE (mg/m³)	9500 mg/m³
France	VLE (ppm)	5000 ppm
France	Note (FR)	Valeurs recommandées/admises
France	Regulatory reference	Circulaire du Ministère du travail (réf.: INRS ED 984, 2016)
Germany	TRGS 900 Local name	Ethanol
Germany	TRGS 900 Occupational exposure limit value (mg/m³)	960 mg/m³
Germany	TRGS 900 Occupational exposure limit value (ppm)	500 ppm
Germany	TRGS 900 Limitation of exposure peaks	2(II)
Germany	TRGS 900 Remark	DFG;Y
Germany	TRGS 900 Regulatory reference	TRGS900
Germany	TRGS 910 Acceptable concentration notes	
Greece	OEL TWA (mg/m³)	1900 mg/m³

PROMOCLEAN TP 1112

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ethanol; ethyl alcohol (64-17-5)		
Greece	OEL TWA (ppm)	1000 ppm
Hungary	Local name	ETIL-ALKOHOL
Hungary	AK-érték	1900 mg/m³
Hungary	CK-érték	7600 mg/m³
Hungary	Megjegyzések (HU)	IV.
Ireland	Local name	Ethanol
Ireland	OEL (15 min ref) (ppm)	1000 ppm
Ireland	Regulatory reference	Code of Practice for the Chemical Agents Regulations 2016
Latvia	Local name	Etilspirts (etanols)
Latvia	OEL TWA (mg/m³)	1000 mg/m³
Latvia	Regulatory reference	Ministru kabineta 2007.gada 15.maija noteikumi Nr.325
Lithuania	Local name	Etanolis (etilo alkoholis)
Lithuania	IPRV (mg/m³)	1000 mg/m³
Lithuania	IPRV (ppm)	500 ppm
Lithuania	TPRV (mg/m³)	1900 mg/m³
Lithuania	TPRV (ppm)	1000 ppm
Lithuania	Regulatory reference	LIETUVOS HIGIENOS NORMA HN 23:2011
Netherlands	Local name	Ethanol
Netherlands	Grenswaarde TGG 8H (mg/m³)	260 mg/m³
Netherlands	Grenswaarde TGG 15MIN (mg/m³)	1900 mg/m³
Netherlands	Remark (MAC)	H (Huidopname) Stoffen die relatief gemakkelijk door de huid kunnen worden opgenomen, hetgeen een substantiële bijdrage kan betekenen aan de totale inwendige blootstelling, hebben in de lijst een Haanduiding. Bij deze stoffen moeten naast maatregelen tegen inademing ook adequate maatregelen ter voorkoming van huidcontact worden genomen.
Netherlands	Regulatory reference	Arbeidsomstandighedenregeling 2017
Poland	Local name	Etanol (alkohol etylowy)
Poland	NDS (mg/m³)	1900 mg/m³
Poland	Regulatory reference	Dz.U. 2014 poz. 817
Portugal	Local name	Etanol (Álcool etílico)
Portugal	OEL STEL (ppm)	1000 ppm
Slovakia	Regulatory reference	Norma Portuguesa NP 1796:2014
Romania	Local name	Alcool etilic
Romania	OEL TWA (mg/m³)	1900 mg/m³
Romania	OEL TWA (ppm)	1000 ppm
Romania	OEL STEL (mg/m³)	9500 mg/m³
Romania	OEL STEL (ppm)	5000 ppm
Romania	Regulatory reference	Legea 319/2006 privind Securitatea și sănătatea în muncă și HG nr. 1/2012 de modificare și completare a HG 1218/2006
Slovakia	Local name	Etylalkohol (etanol)
Slovakia	NPHV (priemerná) (mg/m³)	960 mg/m³
Slovakia	NPHV (priemerná) (ppm)	500 ppm
Slovakia	OEL STEL (mg/m³)	1920 mg/m³

PROMOCLEAN TP 1112

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ethanol; ethyl alcohol (64-17-5)		
Slovakia	OEL STEL (ppm)	1000 ppm
Slovakia	Regulatory reference	Nariadenie vlády č. 355/2006 Z. z. (Zmena: 300/2007 Z.z.; Zmena: 471/2011 Z.z.)
Slovenia	Local name	etanol (etilalkohol)
Slovenia	OEL TWA (mg/m³)	1900 mg/m³
Slovenia	OEL TWA (ppm)	1000 ppm
Slovenia	KTV factor SL	4
Slovenia	Regulatory reference	Uradni list RS, št. 102/2010 z dne 17.12.2010
Spain	Local name	Etanol (Alcohol etílico)
Spain	VLA-EC (mg/m³)	1910 mg/m³
Spain	VLA-EC (ppm)	1000 ppm
Spain	Notes	s (Esta sustancia tiene prohibida total o parcialmente su comercialización y uso como fitosanitario y/o como biocida. Para una información detallada acerca de las prohibiciones consúltase: Base de datos de productos biocidas: http://www.msssi.gob.es/ciudadanos/productos.do?tipo=plaguicidas Base de datos de productos fitosanitarios http://www.magrama.gob.es/agricultura/pags/fitos/registro/fichas/pdf/Lista_sa.pdf).
Spain	Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2017. INSHT
Sweden	Local name	Etanol
Sweden	nivågränsvärde (NVG) (mg/m³)	1000 mg/m³
Sweden	nivågränsvärde (NVG) (ppm)	500 ppm
Sweden	kortidsvärde (KTV) (mg/m³)	1900 mg/m³
Sweden	kortidsvärde (KTV) (ppm)	1000 ppm
Sweden	Anmärkning (SE)	V (Vägledande kortidsgränsvärde ska användas som ett rekommenderat högsta värde som inte bör överskridas)
Sweden	Regulatory reference	Hygieniska gränsvärden (AFS 2015:7)
United Kingdom	Local name	Ethanol
United Kingdom	WEL TWA (mg/m³)	1920 mg/m³
United Kingdom	WEL TWA (ppm)	1000 ppm
United Kingdom	Regulatory reference	EH40. HSE
Iceland	Local name	Etanól (etýlalkóhól)
Iceland	OEL (8 hours ref) (mg/m³)	1900 mg/m³
Iceland	OEL (8 hours ref) (ppm)	1000 ppm
Iceland	Regulatory reference	Reglugerð um mengunarmörk og aðgerðir til að draga úr mengun á vinnustöðum (Nr. 390/2009)
Norway	Local name	Etanol
Norway	Grenseverdier (AN) (mg/m³)	950 mg/m³
Norway	Grenseverdier (AN) (ppm)	500 ppm
Norway	Regulatory reference	Arbeidstilsynet. Forskrift, best.nr. 704
USA - ACGIH	Local name	Ethanol
USA - ACGIH	ACGIH STEL (ppm)	1000 ppm
USA - ACGIH	Remark (ACGIH)	URT irr
USA - ACGIH	Regulatory reference	ACGIH 2017

PROMOCLEAN TP 1112

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:

Chemically resistant protective gloves

Eye protection:

Safety glasses with side shields

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Environmental exposure controls:

Avoid release to the environment.

Other information:

Safety shower. Eye fountain.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Yellow.
Odour	: slight.
Odour threshold	: No data available
pH	: 9,8
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: -5 °C
Freezing point	: No data available
Boiling point	: > 100 °C
Flash point	: Not applicable.
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1,02 g/cm³ (20°C)
Solubility	: In water, material soluble.
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Not explosive material according to EC criteria.
Oxidising properties	: Non oxidizing material according to EC criteria.
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

PROMOCLEAN TP 1112

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.5. Incompatible materials

Strong acids. Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Alcohol hydroxylated C9-C11 (68439-46-3)

LD50 oral rat	1192 mg/kg
Skin corrosion/irritation	: Not classified pH: 9,8
Serious eye damage/irritation	: Causes serious eye damage. pH: 9,8
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Acute aquatic toxicity : Not classified
Chronic aquatic toxicity : Not classified

12.2. Persistence and degradability

Alcohol hydroxylated C9-C11 (68439-46-3)

Persistence and degradability	94 % biodegradation after 28 days.
-------------------------------	------------------------------------

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions. Do not discharge into drains or waterways without neutralizing. Neutralize prior to disposal (pH between 5.5 and 8.5). Do not allow product to spread into the environment.
Product/Packaging disposal recommendations : Clean with water. Clean using water and a detergent. The user's attention is drawn to the possible existence of specific european, national or local regulations regarding disposal.

SECTION 14: Transport information

In accordance with ADR / IATA / IMDG

ADR	IMDG	IATA
14.1. UN number		
Not regulated	Not regulated	Not regulated
14.2. UN proper shipping name		
Not regulated	Not regulated	Not regulated

PROMOCLEAN TP 1112

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.3. Transport hazard class(es)		
Not regulated	Not regulated	Not regulated
14.4. Packing group		
Not regulated	Not regulated	Not regulated
14.5. Environmental hazards		
Not regulated	Not regulated	Not regulated
No supplementary information available		
14.6. Special precautions for user		
Overland transport		
Not regulated		
Transport by sea		
Not regulated		
Air transport		
Not regulated		
14.7. Transport in bulk according to Annex II of Marpol and the IBC Code		
Not applicable		

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Substance(s) are not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC.

Detergent Regulation : Labelling of contents:	
Component	%
non-ionic surfactants	>=30%
amphoteric surfactants	5-15%
phosphonates	<5%

15.1.2. National regulations

Germany

Reference to AwSV : Water hazard class (WGK) 1, Slightly hazardous to water (Classification according to AwSV, Annex 1)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : ethanol; ethyl alcohol is listed

SZW-lijst van mutagene stoffen : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : ethanol; ethyl alcohol is listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : ethanol; ethyl alcohol is listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : ethanol; ethyl alcohol is listed

Denmark

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

PROMOCLEAN TP 1112

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 16: Other information

Indication of changes:

All chapters have been modified since the previous version.

Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.