

PROMOSOLV 70

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Revision date: 01/06/2018 Supersedes: 10/11/2016 Version: 12.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Name : PROMOSOLV 70
Product code : 050067000

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Cleaning solvent

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

INVENTEC PERFORMANCE CHEMICALS SA
20 rue de Bourgogne
P.O. Box CS 10165
69800 SAINT-PRIEST - France
T +33 (0) 4 72 28 13 00 - F +33 (0) 4 72 28 13 41
ContactFDS@inventec.dehon.com

Other

FRIGOGAZ Climalife kft Hungary
Villányi út 47
1118 Budaörs - Hungary
T (36) 23 431 660 - F (36) 23 431 661
ContactFDS@inventec.dehon.com

Other

INVENTEC PERFORMANCE CHEMICALS ITALIA S.R.L.
Via Pusterla, 8
20013 Magenta - Milano - Italia
T (39) 02 48 40 12 06 - F (39) 02 48 46 13 41
ContactFDS@inventec.dehon.com

Other

INVENTEC PERFORMANCE CHEMICALS Switzerland
Z.I. Petits Champs 15 Yverdon Sud
CH-1400 Yverdon-les-Bains - Switzerland
T 41(0) 24 424 80 90 - F 41(0) 24 424 80 99
ContactFDS@inventec.dehon.com

Other

DKF GERMANY / INVENTEC
Robert - Bosch - Strasse 14
40668 Meerbusch - Germany
T +49 (0)21 50 70 73 00 - F + 49 (0)21 50 70 73 17
ContactFDS@inventec.dehon.com

Other

INVENTEC PERFORMANCE CHEMICALS ESPAÑA
Perez Pujol, 4 - 2º
46002 Valencia - Spain
T (34) 96 353 51 93 - F (34) 96 353 51 92
ContactFDS@inventec.dehon.com

Other

INVENTEC Performance Chemicals Netherlands BV
Van Konijnenburgweg 84
4612 PL Bergen op zoom - Netherlands
T (31) 164 212 840 - F (31) 164 212 841
ContactFDS@inventec.dehon.com

1.4. Emergency telephone number

Emergency number : +33 (0) 1 72 11 00 03

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute Tox. 4 (Inhalation:dust,mist) H332
Eye Irrit. 2 H319
STOT SE 3 H336
Aquatic Chronic 3 H412

Full text of hazard classes and H-statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

PROMOSOLV 70

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

Signal word (CLP)

: Warning

Hazardous ingredients

: trans-dichloroethylene

Hazard statements (CLP)

: H319 - Causes serious eye irritation.
H332 - Harmful if inhaled.
H336 - May cause drowsiness or dizziness.
H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP)

: P261 - Avoid breathing vapours.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P501 - Dispose of contents/container to an approved waste disposal plant.

EUH-statements

: EUH018 - In use may form flammable/explosive vapour-air mixture.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
trans-dichloroethylene	(CAS-No.) 156-60-5 (EC-No.) 205-860-2 (EC Index-No.) 602-026-00-3 (REACH-no) 01-2120093504-55	60 - 80	Flam. Liq. 2, H225 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2, H319 STOT SE 3, H336 Aquatic Chronic 3, H412

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

First-aid measures after skin contact : Wash with soapy water.

First-aid measures after eye contact : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

First-aid measures after ingestion : Rinse mouth. If you feel unwell, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Dry powder. Carbon dioxide.

Unsuitable extinguishing media : None to our knowledge. If there is a fire close by, use suitable extinguishing agents.

5.2. Special hazards arising from the substance or mixture

Explosion hazard : May form flammable/explosive vapour-air mixture.

Hazardous decomposition products in case of fire : Toxic and corrosive vapours may be released. See Heading 10.

PROMOSOLV 70

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

5.3. Advice for firefighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Stop the leak. Turn leaking containers leak-side up to prevent the escape of liquid. Remove ignition sources. Do not breathe smoke. Do not smoke.

6.1.1. For non-emergency personnel

- Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Avoid release to the environment. Dike and contain spill.

6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Dispose of contaminated material at an authorized site.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. Concerning disposal elimination after cleaning, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking. Handle and open container with care.
- Hygiene measures : Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Take all necessary measures to avoid accidental discharge of products into drains and waterways due to the rupture of containers or transfer systems. Install a retention tank.
- Storage conditions : Store in a well-ventilated place. Keep container tightly closed. Keep away from naked flames/heat.
- Incompatible products : Strong bases. Oxidizing materials.
- Storage temperature : $\leq 38^{\circ}\text{C}$
- Packaging materials : Uncoated steels. Unsuitable materials: Plastic materials.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

trans-dichloroethylene (156-60-5)		
Austria	Local name	1,2-Dichlorethen (R 1130) (cis und trans)
Austria	MAK (mg/m ³)	790 mg/m ³
Austria	MAK (ppm)	200 ppm
Austria	MAK Short time value (mg/m ³)	3160 mg/m ³
Austria	MAK Short time value (ppm)	800 ppm
Austria	Regulatory reference	BGBI. II Nr. 186/2015
Denmark	Local name	trans-Dichlorethen
Denmark	Grænseværdie (langvarig) (mg/m ³)	790 mg/m ³
Denmark	Grænseværdie (langvarig) (ppm)	200 ppm
Denmark	Regulatory reference	BEK nr 986 af 11/10/2012
Finland	Local name	trans-Dikloorietyleni
Finland	HTP-arvo (8h) (mg/m ³)	800 mg/m ³
Finland	HTP-arvo (8h) (ppm)	200 ppm
Finland	HTP-arvo (15 min)	1000 mg/m ³
Finland	HTP-arvo (15 min) (ppm)	250 ppm

PROMOSOLV 70

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

trans-dichloroethylene (156-60-5)		
Finland	Regulatory reference	HTP-ARVOT 2016 (Sosiaali- ja terveysministeriö)
Poland	Local name	1,2-Dichloroeten – izomery trans-
Poland	NDS (mg/m³)	700 mg/m³
Poland	Regulatory reference	Dz.U. 2014 poz. 817
Portugal	Local name	1,2-Dicloroetileno, todos os isómeros
Portugal	OEL TWA (ppm)	200 ppm
Portugal	Regulatory reference	Norma Portuguesa NP 1796:2014
Slovenia	Local name	trans-dikloroeten (trans-dikloroetilen)
Slovenia	OEL TWA (mg/m³)	800 mg/m³
Slovenia	OEL TWA (ppm)	200 ppm
Slovenia	KTV factor SL	4
Slovenia	Regulatory reference	Uradni list RS, št. 102/2010 z dne 17.12.2010
Switzerland	Local name	1,2-Dichlorethen trans.
Switzerland	MAK (mg/m³)	790 mg/m³
Switzerland	MAK (ppm)	200 ppm
Switzerland	KZGW (mg/m³)	1580 mg/m³
Switzerland	KZGW (ppm)	400 ppm
Switzerland	Remark (CH)	Auge, ZNS ^{KT AN} - HSE, INRS, NIOSH
Switzerland	Regulatory reference	SUVA - Grenzwerte am Arbeitsplatz 2016

trans-dichloroethylene (156-60-5)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, inhalation	797 mg/m³
DNEL/DMEL (General population)	
Long-term - systemic effects, oral	57 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	198 mg/m³
PNEC (Water)	
PNEC aqua (freshwater)	36,4 µg/L
PNEC aqua (marine water)	3,6 µg/L
PNEC aqua (intermittent, freshwater)	363,6 µg/L
PNEC (Sediment)	
PNEC sediment (freshwater)	548.3 µg/kg sediment dw
PNEC sediment (marine water)	54,8 µg/kg sediment dw
PNEC (Soil)	
PNEC soil	56,3 µg/kg soil dw
PNEC (STP)	
PNEC sewage treatment plant	17 mg/l

8.2. Exposure controls

Hand protection:

Nitrile-rubber protective gloves

Eye protection:

Chemical goggles or safety glasses

Skin and body protection:

Majority cotton protective clothing

Respiratory protection:

Wear appropriate mask. Mask with canister A

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless.

PROMOSOLV 70

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Odour	: slightly ethereal.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: -100 °C
Freezing point	: No data available
Boiling point	: 43 °C
Flash point	: None
Auto-ignition temperature	: > 390 °C
Decomposition temperature	: No data available
Flammability (solid, gas)	: In use, may form flammable vapour-air mixture
Vapour pressure	: 65 kPa (20°C)
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1,28 g/cm³ (20°C)
Solubility	: Poorly soluble in water.
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: (25°C)
Explosive properties	: Not explosive material according to EC criteria.
Oxidising properties	: Non oxidizing material according to EC criteria.
Lower explosive limit (LEL)	: 6,7 vol %
Upper explosive limit (UEL)	: 17,8 vol %

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use.

10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Heat.

10.5. Incompatible materials

Strong bases. Oxidizing materials.

10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide. Hydrofluoric Acid. Perfluoroisobutylene.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Inhalation:dust,mist: Harmful if inhaled.

ATE CLP (dust,mist)	2,143 mg/l/4h
---------------------	---------------

trans-dichloroethylene (156-60-5)	
LD50 oral rat	7902 - 9939 mg/kg
LD50 dermal rabbit	5000 mg/kg
LC50 inhalation rat (ppm)	24100 ppm/4h
LC50 inhalation rat (Vapours - mg/l/4h)	95,6 mg/l/4h

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified

PROMOSOLV 70

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause drowsiness or dizziness.

trans-dichloroethylene (156-60-5)	
LOAEL (oral, rat)	4500 mg/kg bodyweight CNS depression
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information

12.1. Toxicity

Acute aquatic toxicity	: Not classified
Chronic aquatic toxicity	: Harmful to aquatic life with long lasting effects.

trans-dichloroethylene (156-60-5)	
LC50 fish 1	135 mg/l
EC50 Daphnia 1	220 mg/l
EC50 96h algae (1)	48 mg/l

12.2. Persistence and degradability

PROMOSOLV 70	
Persistence and degradability	May cause long-term adverse effects in the environment.
trans-dichloroethylene (156-60-5)	
Persistence and degradability	8 % biodegradation after 28 days. Not readily biodegradable.

12.3. Bioaccumulative potential

PROMOSOLV 70	
Bioaccumulative potential	Not established.
trans-dichloroethylene (156-60-5)	
Log Pow	2,06
Bioaccumulative potential	Low bioaccumulation potential.

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Component	
trans-dichloroethylene (156-60-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations	: Recycle or dispose of in compliance with current legislation. Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to a hazardous or special waste collection point. Empty the packaging completely prior to disposal.
Additional information	: Refer to manufacturer or supplier for information on recovery or recycling. The user's attention is drawn to the possible existence of specific european, national or local regulations regarding disposal.
Ecology - waste materials	: Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / IATA / IMDG

ADR	IMDG	IATA
14.1. UN number		
Not regulated	Not regulated	Not regulated
14.2. UN proper shipping name		
Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)		
Not regulated	Not regulated	Not regulated

PROMOSOLV 70

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ADR	IMDG	IATA
14.4. Packing group		
Not regulated	Not regulated	Not regulated
14.5. Environmental hazards		
Not regulated	Not regulated	Not regulated
No supplementary information available		

14.6. Special precautions for user

- Overland transport

Not regulated

- Transport by sea

Not regulated

- Air transport

Not regulated

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

France

Occupational diseases : RG 12 - Affections professionnelles provoquées par les hydrocarbures aliphatiques halogénés énumérés ci-après
RG 32 - Affections professionnelles provoquées par le fluor, l'acide fluorhydrique et ses sels minéraux
RG 84 - Affections engendrées par les solvants organiques liquides à usage professionnel

Germany

Reference to AwSV : Water hazard class (WGK) 2, significant hazard to waters (Classification according to AwSV, Annex 1)
12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed
SZW-lijst van mutagene stoffen : None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

Denmark

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:

All chapters have been modified since the previous version.

PROMOSOLV 70

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Data sources	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
Other information	: None.

Full text of H- and EUH-statements:

Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H412	Harmful to aquatic life with long lasting effects.
EUH018	In use may form flammable/explosive vapour-air mixture.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product