

Acota Novec™ Coating System

June 2012

www.acota.co.uk

e-mail: steve.henly@acota.co.uk


Acota Coating System Range

Model	BASIC	PRIMA	OPTIMA
Basket size (mm)	250x150x180	300x250x200	450x300x250
Fill capacity	24 ltr / 37kg	52 ltr / 80kg	90 ltr / 137kg
Throughput (in Eurocards/hr)	ca. 140	ca. 280	ca. 600
Overall dims (mm)	650x650x1050	1000x750x1050	1100x1000x1050
Automatic	No	Yes	Yes
Filtration	No	Optional	Yes
Weight capacity	10kg	15kg	15kg – 25kg
Adjustable dip	No	No	Optional
COMMS	No	No	Optional
N2 purge	No	Optional	Optional
Budget price	£ 9,950	£ 18,000	£ 39,000

www.acota.co.uk

e-mail: steve.henly@acota.co.uk

Optima machine for high volume



www.acota.co.uk

e-mail: steve.henly@acota.co.uk

Optima machine for high volume

- ▶ Optional weight capacity to 25kg
- ▶ Optional adjustable dip height for boards with sensitive devices
- ▶ COMMS system for remote logging and SPC
- ▶ High volume capacity equivalent to 14,400 Eurocard boards per 24 hours (assuming 12mm stand-off)